

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	0	"6167396".pn. and internet	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/13 14:15
S2	0	"6167396".pn. and network	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/13 14:15
S3	0	"6167396".pn. and browser	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/13 14:15
S4	500	OLAP	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/13 14:16
S5	263	OLAP and "707"/\$.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/13 14:18
S6	3	(tree near2 format) same (server same internet)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/13 14:18
S7	1	S6 and browser	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/13 14:20
S8	0	"6348935".pn. and internet	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/13 14:20
S9	0	"6348935".pn. and server	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/13 14:21
S10	0	"6348935".pn. and browser	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/13 14:22
S11	0	"6678714".pn. and (user near2 profile)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/13 14:22
S12	19	(user near2 profile) with tree	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/13 14:23

S13	12	S12 and browser	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/13 14:23
S14	11	S12 and browser and server	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/13 14:23
S15	11	S12 and browser and server and internet	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/13 14:48
S16	7	(tree same reference same (user near2 profile))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/13 14:53
S17	3	(user near2 reference) and ((user near2 profile) with tree)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/13 14:55
S18	19	((user near2 profile) with tree)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/13 15:11
S19	0	"6701362".pn. and browere	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/13 15:12
S20	0	"6701362".pn. and brower	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/13 15:12
S21	0	"6701362".pn. and broswer	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/13 15:12
S22	2	"6701362".pn. and browser	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/13 15:45
S23	0	"6167396".pn. and browser	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/13 15:13
S24	40	rearrange with tree	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/13 15:45

S25	0	S24 and (previous with application)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/13 15:46
S26	15	S24 and (previous)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/13 15:54
S27	1	10/137211	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/13 15:55
S28	1	10/137211 and previous	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/13 15:56
S29	1	10/137211 and previous and reuse	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/13 15:56
S30	1	10/137211 and previous and reuse and dynamically	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/13 15:59
S31	0	dynamically with (rearrange with tree)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/13 15:59
S32	0	dynamically with (re-arrange with tree)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/13 16:00
S33	2	dynamically with (reconfiguration with tree)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/13 16:00
S34	0	dynamically with (resort\$ with tree)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/13 16:01

S35	2	dynamically same (rearrange with tree)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/13 16:01
S36	63	BOM and (search\$ with product)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/13 10:06
S37	4	BOM and ((search\$ with product) same tree)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/13 10:07
S38	6241	display\$ with tree	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/13 10:07
S39	398	(display\$ with tree) same (tree with format)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/13 10:07
S40	25	((display\$ with tree) same (tree with format)) same server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/13 10:16
S41	1911	tree with format	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/13 10:16
S42	625	(tree with format) and (level with tree)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/13 10:17
S43	23	((tree with format) and (level with tree)) and (dimension with tree)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/13 10:17
S44	0	((tree with format) and (level with tree)) and (dimension with tree) and (symmetry with tree)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/13 10:17

S45	23	((tree with format) and (level with tree)) and (dimension with tree)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/13 11:33
S46	79	(tree with format) and (pattern with tree)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/13 11:34
S47	3	(tree with format) and (pattern with tree) and (symmetry with tree)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/13 11:34
S48	12	(tree with format) same (pattern near3 tree)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/13 11:36
S49	24	(tree with format) and (vertical near3 tree)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/13 11:38
S50	36	symmetry near3 tree	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/13 11:40
S51	0	(display\$ with tree) and (symmetry near3 tree)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/13 11:42
S52	28	"5727175"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/13 11:42
S53	2	"5727175".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/13 11:58
S54	22	(size with font with color) same tree	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/13 11:58

S55	1	"6348935".pn. and color	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/13 11:58
S56	1	"6348935".pn. and color and size and font	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/13 12:42
S57	30	(automatically with (display near2 tree))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/13 12:47
S58	1	(display with tree) same (without with request)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/13 12:47
S59	2	(display\$ with tree) same (without with request)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/13 12:48
S60	118	(display\$ with tree) same (without with user)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/13 12:48
S61	69	(display\$ with tree) same (without with user)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/13 12:51
S62	117	automatically with display\$ with tree	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/13 12:51
S63	15	(automatically with display\$ with tree) and ("345"/\$.cls or "707"/\$.cls.)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/13 14:14
S64	12392	707/3 or 707/6 or 707/100	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 13:42

S65	801	S64 and (display\$ same tree)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 13:42
S66	176	S65 and (portion same tree)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 13:42
S67	1	S66 and (hybrid same tree)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 13:43
S68	965	(hybrid same tree)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 13:43
S69	2	(hybrid same tree) same breadcrumb	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 13:45
S70	4	(predicates same events same sequence)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 13:46
S71	6	(SQL same events same sequence same attributes)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 13:46
S72	101	(query same (events with sequence))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 13:48
S73	4	(query same (events with sequence)) same attributes	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 13:50
S74	42	(query same (events with sequence)) and attributes	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 14:41

S75	92	cupps.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 14:41
S76	2	cupps.in. and geographic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 14:41
S77	11	Dussell.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 09:58
S78	0	"5991739".pn. and distance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 09:58
S79	1	"5991739".pn. and mile	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 11:35
S80	0	09/948134	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 11:51
S81	18239	707/3 or 707/10 or 705/26	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 11:52
S82	239	S81 and (map\$ same direction)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 11:52
S83	0	S82 and (closest same restaurant)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 11:53
S84	0	S82 and (closest with store)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 11:54

S85	50	geocodes and geographic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 11:54
S86	1	10/001744	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 14:14
S87	0	10/001744 and heterogeneous	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 13:37
S88	0	10/001744 and heterogeneous	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 13:37
S89	1	10/001744 and filter and sort	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 13:38
S90	1	10/001744 and filter and sort and actions	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 13:39
S91	2	"6452609".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 13:40
S92	1	"6452609".pn. and filter\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 13:40
S93	1	"6452609".pn. and filter\$ and sort\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 13:41
S94	606	(most with recent) with selection	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 13:44

S95	1	S94 same filter\$ same sort\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 13:43
S96	5	S94 same filter\$ same user	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 13:43
S97	162	(most with recent) with selection same user	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 16:41
S98	0	(most with recent) with selection same user same sort	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 13:44
S99	162	(most with recent) with selection same user	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 13:44
S10 0	9000	(aggregat\$ with results)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 14:14
S10 1	50	(aggregat\$ with results) and subqueries	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 14:19
S10 2	151	cam-Y near2 truong or camy	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 14:19
S10 3	151	(cam-Y near2 truong) or camy	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 14:19
S10 4	47	(cam-Y near2 truong) or (camy near2 truong)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 14:23

S10 5	2	"5913214".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 14:41
S10 6	0	"6452609".pn. and recently	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 14:42
S10 7	1	"6452609".pn. and current\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 14:47
S10 8	2	"5806077".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 15:22
S10 9	1	"6452609".pn. and sort	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 15:23
S11 0	0	"6452609".pn. and (sort same filter\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 15:23
S11 1	0	"6452609".pn. and (sort\$ same filter\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 15:23
S11 2	1	"6452609".pn. and sort\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 15:45
S11 3	2	"6625623".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 15:52
S11 4	1	"6625623".pn. and identifier	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 15:51

S11 5	1	"6625623".pn. and update	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 15:53
S11 6	99	(database same renewal same date)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 15:54
S11 7	2	(database same renewal same date) same interval	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 15:54
S11 8	1	(database same renewal same date) same periodically	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 15:55
S11 9	50	(database same renewal same date) same time	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 15:56
S12 0	3	(database same renewal same date) and (schedule same updat\$ same database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 15:57
S12 1	1353	(schedule same updat\$ same database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 15:57
S12 2	171	(schedule same updat\$ same database) same monitor\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 15:58
S12 3	9	(schedule same updat\$ same database) same monitor\$ same interval	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 16:06
S12 4	4810	"705"/\$.ccls. and filter\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 16:06

S12 5	1902	"705"/\$.ccls. and filter\$ and profile	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 16:06
S12 6	1548	"705"/\$.ccls. and filter\$ and profile and updat\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 16:11
S12 7	2	"5740549".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 16:14
S12 8	38826	Huang.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 16:14
S12 9	521	Huang.in. and virtual	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 16:14
S13 0	11	Huang.in. and (virtual near2 file)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 16:15
S13 1	1	10/154023	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 10:23
S13 2	0	(transform\$ with (vector near2 tuples))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 10:25
S13 3	1	(convert\$ with (vector near2 tuples))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 10:25
S13 4	124	(convert\$ with (scalar near2 values))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 10:26

S13 5	0	(convert\$ with (scalar near2 values)) same tag	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 10:26
S13 6	0	(convert\$ with (scalar near2 values)) same tags	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 10:26
S13 7	46	(chart\$ or graph) same (modif\$ with versions)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 10:27
S13 8	0	(chart\$ or graph) same (modif\$ with versions) same tag	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 10:27
S13 9	0	(chart\$ or graph) same (modif\$ with versions) same tags	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 10:27
S14 0	1041	(chart\$ or graph) same tags	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 10:28
S14 1	12	(convert\$ same xml same html same numbers)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 11:23
S14 2	74	(convert\$ same ASCII same xml)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 11:23
S14 3	13	(convert\$ same ASCII same HTML same tags)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 11:23
S14 4	7	(convert\$ same ASCII same HTML same tags)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 11:31

S14 5	4	"6757710".pn. or "5706457".pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 11:33
S14 6	1	S145 and tags	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 11:33
S14 7	1	S145 and tags and convert\$	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 11:34
S14 8	0	(macro same (convert\$ same HTML same tags same number))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 11:34
S14 9	0	(macro and(convert\$ same HTML same tags same number))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 11:35
S15 0	0	(macro and (convert\$ same HTML same tags same number))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 11:35
S15 1	5	(macro and (convert\$ same HTML same tags))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 11:46
S15 2	6	(macro with conver\$) same tags	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 13:47
S15 3	4	"5956737".pn. or "5838906".pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 11:59
S15 4	0	S153 and macro	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 11:58
S15 5	0	"6034676".pn. and transform	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 13:48
S15 6	0	"6034676".pn. and convert\$	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 15:26

S15 7	8649	707/3 or 707/102 or 345/594	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/15 14:56
S15 8	127	S157 and (selection with components)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/15 14:48
S15 9	42	S158 and (display\$ with menu)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/15 14:49
S16 0	14	S159 and (select\$ with content)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/15 14:49
S16 1	5	S160 and (edit\$ same image)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/15 14:53
S16 2	1312	(upload\$ same image)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/15 14:55
S16 3	396	S162 and ((search\$ or retriev\$) same image)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/15 14:55
S16 4	316	S163 and (select\$ same image)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/15 14:55
S16 5	29	S164 and S157	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/15 14:55
S16 6	122	707/200-205	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/15 14:59
S16 7	0	S166 and (geographically with nodes)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/15 14:59
S16 8	349	(geographically with nodes)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/15 14:59

S16 9	45	S168 and backup\$	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/15 14:59
S17 0	2	S168 and backup\$ and restoration	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/15 14:59
S17 1	48516	alterna\$ with path	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/15 15:00
S17 2	2456	S171 and (backup\$ or restoration)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/15 15:00
S17 3	0	S172 and (geographicall with (server or node))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/15 15:00
S17 4	24	S172 and (geographic\$ with (server or node))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/15 15:00
S17 5	5006	707/200 or 707/204 or 707/205	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/15 15:01
S17 6	1678	S175 and (backup or recovery)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/15 15:01
S17 7	20	S176 and (database with replicas)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/15 15:04
S17 8	0	"10391245"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/15 15:04
S17 9	1	"10/391245"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 12:51
S18 0	0	("5867799.pn.").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 12:51

S18 1	2	("5867799").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 13:38
S18 2	0	("2andnotify").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 13:37
S18 3	12	"5867799" and notify	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 13:37
S18 4	0	"5867799.pn." and notify	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 13:37
S18 5	0	"5867799.pn." and change	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 13:37
S18 6	0	"5867799.pn." and noti\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 13:37
S18 7	0	"5867799.pn." and updat\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 13:38
S18 8	0	"5867799.pn."	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 13:38
S18 9	2	("5867799").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 13:38
S19 0	0	("5867799andupdate").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 13:38

S19 1	0	("10andprofile").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 13:39
S19 2	2	"5867799".pn. and profile	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 13:39
S19 3	2	"5867799".pn. and updat\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 13:41
S19 4	1	"5867799".pn. and noti\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 13:41
S19 5	0	"5867799".pn. and notify	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 13:49
S19 6	1	"5867799".pn. and (rank\$ or sort\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 13:59
S19 7	7801	Robertson.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 13:59
S19 8	538	Robertson.in. and automatically	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 13:59
S19 9	423	Robertson.in. and automatically	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 13:59
S20 0	29	Robertson.in. and automatically and (first near2 user)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 14:13

S20 1	8615	707/1 or 707/3	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 14:13
S20 2	746	S201 and (reliability or credibility)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 14:14
S20 3	194	S202 and (rate same (document or data or content))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 14:14
S20 4	62	S203 and (user\$ with rate)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 14:25
S20 5	2	"6516327".pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 14:34
S20 6	2	"6516327".pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 15:10
S20 7	2	"5974572".pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 15:10
S20 8	0	707/200-2005	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/21 14:06
S20 9	0	S208 and (synchronization same databases)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/21 14:06
S21 0	0	S208 and (synchronization same database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/21 14:06
S21 1	0	S208 and (synchronization same records)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/21 14:06

S21 2	124	707/200-205	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/21 14:06
S21 3	5	S212 and (synchronization same databases)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/21 14:06
S21 4	5735	(synchronization same (database or records))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/21 14:07
S21 5	305	S214 and (database near2 map\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/21 14:07
S21 6	0	S215 and (previous with synchroniztion)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/21 14:08
S21 7	34	S215 and (previous with synchronization)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/21 15:44
S21 8	7811	robertson.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/21 15:59
S21 9	141	(search near2 device) with interface	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/21 16:12
S22 0	13	S219 and 707/3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/21 16:00
S22 1	1187	(search near2 engine) with interface	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/21 16:03

S22 2	301	S221 and 707/3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/21 16:04
S22 3	0	S221 and 707/3 and (interface with (execution near2 device))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/21 16:03
S22 4	2	S221 and 707/3 and (interface with (command near2 device))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/21 16:03
S22 5	214	S221 and 707/3	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/21 16:04
S22 6	67	(search near2 device) with interface	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/21 16:15
S22 7	876	(GUI same search\$)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/21 16:15
S22 8	182	S227 and 707/3	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/21 17:10
S22 9	31	(local near2 interface) with search	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/21 17:31
S23 0	2	"5628008".pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/21 17:32
S23 1	2	10/092444	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/21 17:39
S23 2	17	(sequence with events) same sql	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/21 17:37

S28 3	22	S282 and file	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/22 16:24
S28 4	18	S283 and index	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/22 17:31
S28 5	2	"6571245".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/22 17:31
S28 6	30684	robertson	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/22 17:32
S28 7	219	robertson.in. and record	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/22 17:32
S28 8	154	robertson.in. and record	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/22 17:32
S28 9	56	robertson.in. and record and automatically	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/22 17:32
S29 0	8	S289 and 707/10	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/22 17:33
S29 1	7109	(user near2 profile)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/22 17:33
S29 2	18	(user near2 profile) same (public near2 portion)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/22 17:44
S29 3	10	S292 and (number with words)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/22 17:44

S29 4	10	S292 and (occurrence)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/22 17:44
S29 5	187	(user near2 profile) and (number near2 words)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/22 17:44
S29 6	50	(user near2 profile) and (number near2 words) and (document same content)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/22 17:46
S29 7	10	(user near2 profile) and (number near2 words) and (document same content) and (public near2 portion)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/22 17:47
S29 8	14	(user near2 profile) and (number near2 words) and (document same content) and (public near2 information)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/22 17:50
S29 9	4	(entity near2 profile) and (number near2 words) and (document same content) and (public near2 information)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/22 17:50
S30 0	5	(user near2 profile) and (number near2 words) and (document same content) and (public with content)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/25 11:16
S30 1	14140	707/3 or 707/5 or 707/10 or 707/100	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/25 11:16
S30 2	459	S301 and (rat\$3 with documents)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/25 11:18
S30 3	147	S302 and (rank\$ with documents)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/25 11:18
S30 4	57	S303 and (document with size)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/25 11:17
S30 5	6	S304 and (scale with document)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/25 11:18

S30 6	0	S305 and (rat\$3 with scale)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/25 11:18
S30 7	3084	(rat\$3 with documents)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/25 11:18
S30 8	188	S307 and (rank\$ with documents)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/25 11:18
S30 9	14	S308 and (scale with document)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/25 11:18
S31 0	0	S309 and (rating with scale)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/25 11:19
S31 1	0	S309 and (rating with weight)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/25 11:19
S31 2	0	S309 and (rating same weight)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/25 11:19
S31 3	151192	(rate same weight)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/25 11:19
S31 4	15	S313 and S302	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/25 11:20
S31 5	120	S313 and S307	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/25 11:20
S31 6	3	S315 and S303	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/25 12:51
S31 7	7036	(display\$ with dimension\$2).clm.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/25 13:52

S31 8	2	"6625623".pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/25 14:48
S31 9	2	"5008853".pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/25 13:55
S32 0	2	(select\$ with (previous near2 version)) same replace\$	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/25 14:49
S32 1	12	(select\$ same (previous near2 version)) same replace\$	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/26 12:09
S32 2	3801	(replace\$ with version)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/25 14:51
S32 3	37	(replace\$ with version) and ((previous near2 version) with file)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/25 15:13
S32 4	0	(replace\$ with version) and (select\$ with (previous near2 version) with file)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/25 15:01
S32 5	2	(select\$ with (previous near2 version)) with replace\$	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/25 15:02
S32 6	2	(select\$ with (previous near2 version)) same replace\$	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/25 15:02
S32 7	12	(select\$ same (previous near2 version)) same replace\$	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/25 15:12
S32 8	2	"6826697".pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/25 15:12
S32 9	198	(replace\$ with version) with file	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/25 15:13

S33 0	11	S329 and (select with version)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/25 15:13
S33 1	42	(restor\$3 with (previous near2 version))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/26 12:13
S33 2	57	(select\$ with (previous near2 version))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/26 12:14
S33 3	14	(select\$ with (previous near2 version)) and replace	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/26 12:28
S33 4	52	(user with (previous near2 version)) and replace	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/26 13:30
S33 5	2	"6625623".pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/26 13:30